

For maximum cost-efficiency.







# **K**H<sup>+</sup>

#### **Cost-effective**

Our K4+ is a **cost-efficient general-pur- pose platform** for your family business. It is compact, agile and functional, and can support you **all year round** in your work: tree pruning or thinning by hand, ensuring that harvesting is completed comfortably, quickly and with maximum care.

#### **Comfortable**

The K4+ has a unique patented harvesting system. The picking baskets for the upper areas are automatically lowered and emptied into the crates from above. This means that up to five persons can comfortably pick fruit at the same time using the K4+ in both the upper and lower ranges. The empty picking crates are either distributed separately along the rows, or up to five crates can be carried by the machine during harvesting.

#### **Practical**

Easily mountable **booster batter- ies** double the autonomy when working. The K4+ general-purpose platform can be transported directly using the tractor hoist or with a stacker when harvesting.

#### Diversifiable

The K4+ is fitted with all-wheel drive. It is available in the "classic" model for level terrain and "alpin" with **automatic slope compensation** (lateral and longitudinal). For your safety all Windegger machines including the K4+ are examined independently and are certified according to current **European Union regulations**.



# Use the benefits:


- √ Compact, manoeuvrable and maintenance-free lifting platform
- √ Automatic crate conveyor system
- √ New, optimised crate-conveyor system







### **Technical data**

- √ All-wheel drive with two electric motors, each rated 900 W
- √ Two tubular batteries, 12 V/135 Ah
- √ low current consumption thanks to low-loss transmissions
- ✓ Outer wheel width: 1.57 m
- ✓ Platform length: 0.93 m
- ✓ Platform width: 1.2-2.6 m extendable
- $\checkmark$  Platform height: 1.1-1.7 m electrically adjustable
- √ Driving incline: 8% (classic), 40% (alpin)
- ✓ Sideways inclination: 8% (classic), 30% (alpin)
- √ Weight: approx. 660 kg









## Windegger Maschinen srl

Vicolo S. Floriano 3/1 / 39011 Lana / Italy T +39.0473.56 46 30 / info@windegger.eu / windegger.eu