



K8⁺

For the most demanding requirements.



Windegger



K8+

Powerful

Our flagship K8+ is the **strongest lifting platform** on the market and has been designed for the most demanding requirements in the field. The unique certified **travel inclination of 58% and slope inclination of 30%** guarantee safe working at all times, while the large tyres provide **optimum handling** on all surfaces. The K8+ is equipped as standard with **all-wheel drive** with **processor-controlled traction** as well as **single wheel steering**.

A sophisticated steering system guarantees outstanding agility and manoeuvrability.

Video



Safe

The machine's **extremely low centre of gravity** and numerous technical details make it **extremely safe** in operation, protecting you and your workers from accident: **The chain hoist** is integrated into the platform, thus allowing operators to move freely while preventing tripping accidents. An **automatic swing guard** while the machine is stationary further increases stability.

All Windegger machines including the K8+ are examined independently and are **certified** according to current **European Union regulations**.

High performance

The K8+ has a **revised lifting system** that guarantees smooth delivery of large crates onto the platform. The chain hoist embedded into the forklift makes it both easier and safer to load and unload large crates, particularly on **sloping terrain**. This system is unique.

The ultra-high-performance 48-volt tubular batteries with 12.5 kWh ensure high mobility while our drive technology provides exceptional energy savings, protecting the batteries and providing **multi-day work performance**.

Comfortable


The 2.5 m **extra-long platform** makes provides plenty of room for working. The **two control positions** (front and back) ensure comfortable operation when driving, meaning the machine can always be controlled **in the forward direction**.

The clear control unit display provides useful information about the machine while, through our innovative **Windegger Connect system**, the performance data for your vehicle is under your control at all times.



Make the most of the advantages:

- ✓ Highest certified inclination on the market
- ✓ Maximum platform height of 2.8 m
- ✓ Extra-long working platform of 2.5 m







Technical data

Chassis

- ✓ Two independent swing axles
- ✓ Outer wheel distance: 1.38 m
- ✓ Width: 1.45 m
- ✓ Height: 2.2 m
- ✓ Length without stackers: 3.4 m
- ✓ Length with stackers (retracted): 3.9 m
- ✓ Turning radius, inner: 1.05 m
- ✓ Ground clearance: 0.27 m
- ✓ 2 stackers, each with carrying capacity of 400 kg
- ✓ Weight (inc. stackers) 2,300 kg

Working platform

- ✓ Width: 1.2–2.4 m steplessly adjustable
- ✓ Height: 1.05–2.8 m hydraulically adjustable
- ✓ Length: 2.5 m



Windegger Maschinen srl

Vicolo S. Floriano 3/1 / 39011 Lana / Italy

T +39.0473.56 46 30 / info@windegger.eu / windegger.eu